Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mar	k: Tchibo
------------------------------	------------------

Supplier's address: Strategic Quality & Regulations, Überseering 18, 22297 Hamburg, DE

Model identifier: 678781, 678787, 678791

Tν	pe	of	light	soui	ce:
. ,	P-	•			···

Lighting technology used:	LED	Non-directional c	or NDLS	
Light source cap-type	N/A			
(or other electric interface)				
Mains or non-mains:	NMLS	Connected light source (CLS):	nt No	
Colour-tuneable light source:	No	Envelope:	-	
High luminance light source:	No			
Anti-glare shield:	No	Dimmable:	No	
Product parameters				
Parameter	Value	Parameter	Value	

Product parameters						
Parameter		Value	Parameter	Value		
	General product parameters:					
<u> </u>	nption in on- 00 h), rounded st integer	2	Energy efficiency class	D		
dicating if it refe a sphere (360º)	s flux (фuse), in- ers to the flux in , in a wide cone errow cone (90º)	238 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	3 000		
On-mode power (P _{on}), expressed in W		1,4	Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal	0,90		
Networked standby power (P _{net}) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	84		
Outer dimen-	Height	60	Spectral power dis-	See image		
sions without separate con- trol gear, light- ing control	Width	60	tribution in the	in last page		
	Depth	2	range 250 nm to 800 nm, at full-load			

parts and non- lighting con- trol parts, if any (millime- tre)				
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-	
		Chromaticity coordi-	0,438	
		nates (x and y)	0,401	
Parameters for LED and OLED light sources:				
R9 colour rendering index value	11	Survival factor	0,93	
the lumen maintenance factor	0,90			

(a)'-': not applicable; (b)'-': not applicable;